ELSEVIER

Chemical Physics 214 (1997) 433–436

Chemical Physics

Author index to volume 214

Abraham, E., J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière, Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry 214 (1997) 409
Aguilar, M.A., see Contador, J.C. 214 (1997) 113
Aquilanti, V., S. Cavalli and C. Coletti, The *d*-dimensional hydrogen atom: hyperspherical harmonics as momentum space orbitals and alternative Sturmian basis sets 214 (1997) 1

Bagnich, S.A., Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution 214 (1997) 351
Baranowski, A., K. Jerie and J. Gliński, Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures 214 (1997) 143
Baumann, W., see Reis, H. 214 (1997) 383
Baumgärtel, H., see Biehl, H. 214 (1997) 367
Baumgarten, M., see Zhang, J. 214 (1997) 291
Bettinelli, M., see Capobianco, J.A. 214 (1997) 329
Biehl, H., K.J. Boyle, D.M. Smith and R.P. Tuckett, The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions 214 (1997) 357
Biehl, H., K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims, Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV 214 (1997) 367
Bizzarri, A.R., see Rocchi, C. 214 (1997) 261
Boughton, J.W., S. Kristyan and M.C. Lin, Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations 214 (1997) 219
Boyle, K.J., see Biehl, H. 214 (1997) 357
Boyle, K.J., see Biehl, H. 214 (1997) 367
Büttner, H.G., G.J. Kearley and B. Frick, Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices 214 (1997) 425

Cannistraro, S., see Rocchi, C. 214 (1997) 261
Capobianco, J.A., P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli, Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4 214 (1997) 329
Cattaneo, P. and M. Persico, Ab initio determination of quasi-diabatic states for multiple reaction pathways 214 (1997) 49
Cavalli, E., see Capobianco, J.A. 214 (1997) 329
Cavalli, S., see Aquilanti, V. 214 (1997) 1
Chandra, A.K., see Sreedhara Rao, V. 214 (1997) 103
Chesnut, D.B., On the calculation of hydrogen NMR chemical shielding 214 (1997) 73
Clark, N.A., see Ginzburg, V.V. 214 (1997) 253

Coletti, C., see Aquilanti, V. 214 (1997) 1
Contador, J.C., M.A. Aguilar and F.J.O. del Valle, Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters 214 (1997) 113
Czuchaj, E., F. Rebentrost, H. Stoll and H. Preuss, Calculation of ground- and excited-state potential energy curves for the Hg_2 molecule in a pseudopotential approach 214 (1997) 277

Dargelos, A., see Pericou-Cayere, M. 214 (1997) 81
Del Valle, F.J.O., see Contador, J.C. 214 (1997) 113
Deng, C.-H., see Wang, Y.-X. 214 (1997) 33

Eilmes, A., R.W. Munn, B. Pac and P. Petelenz, Charge-transfer states and the band gap in crystalline fullerene 214 (1997) 341
Engdahl, A., see Kölm, J. 214 (1997) 313
Enkvist, C., S. Lunell and S. Svensson, Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl 214 (1997) 123
Ermeneux, F.S., see Capobianco, J.A. 214 (1997) 329

Francisco, J.S., A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction 214 (1997) 213
Frick, B., see Büttner, H.G. 214 (1997) 425

Gelize, M., see Pericou-Cayere, M. 214 (1997) 81
Ghosh, S.K., see Samanta, A. 214 (1997) 61
Ginzburg, V.V., M.A. Glaser and N.A. Clark, A new potential for the description of intermolecular interactions for rigid biaxial molecules 214 (1997) 253
Gislason, E.A., see Song, J.-B. 214 (1997) 23
Glaser, M.A., see Ginzburg, V.V. 214 (1997) 253
Gliński, J., see Baranowski, A. 214 (1997) 143
Guest, M.F., see Palmer, M.H. 214 (1997) 191

Jas, G.S. and K. Kuczera, Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene 214 (1997) 229
Jerie, K., see Baranowski, A. 214 (1997) 143
Jochims, H.W., see Biehl, H. 214 (1997) 367
Jones, N.C., see O'Connor, C.S.S. 214 (1997) 131
Jonusauskas, G., see Abraham, E. 214 (1997) 409

Kabro, P., see Capobianco, J.A. 214 (1997) 329
Karafiloglou, P., Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state 214 (1997) 171
Kausche, T., see Richter, A. 214 (1997) 321
Kearley, G.J., see Büttner, H.G. 214 (1997) 425
Khmelinskii, I.V., see Makarov, V.I. 214 (1997) 151
Kim, K.-R., see Lee, D.J. 214 (1997) 183
Kölm, J., A. Engdahl, O. Schrems and B. Nelander, A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices 214 (1997) 313

Koperski, J., Potential energy curve of the $X0^+(^1\Sigma^+)$ ground state of HgAr determined from $A0^+(^3\Pi) \rightarrow X0^+$ and $B1(^3\Sigma^+) \rightarrow X0^+$ fluorescence spectra (Chemical Physics 211 (1996) 191–201) 214 (1997) 431
Kraemer, W.P., see Sauer, S.P.A. 214 (1997) 91
Kristyan, S., see Boughton, J.W. 214 (1997) 219
Kuczera, K., see Jas, G.S. 214 (1997) 229
Kuznetsov, An.M. and W. Lorenz, Electronic charge density transfer along a constrained reaction path from a hydronium ion configuration into a hydrogen chemisorption state on Cu(100) 214 (1997) 243

Lapouyade, R., see Abraham, E. 214 (1997) 409
Lee, D.J. and K.-R. Kim, On the degrees of circularity for various kinds of polarized light in a nonpolar liquid mixture 214 (1997) 183
Lehr, L., J. Manz and W.H. Miller, A classical approach to resonant low-energy electron scattering off molecules: application to the a_1-shape resonance of CF_3Cl 214 (1997) 301
Lin, M.C., see Boughton, J.W. 214 (1997) 219
Lorenz, W., see Kuznetsov, An.M. 214 (1997) 243
Lunell, S., see Enkvist, C. 214 (1997) 123

Makarov, V.I. and I.V. Khmelinskii, Magnetic field effect of the fluorescence of gaseous NO_2 excited to the $^2B_2$ and $^2B_1$ states (Chemical Physics 207 (1996) 115–136) 214 (1997) 151
Manz, J., see Lehr, L. 214 (1997) 301
McNab, H., see Palmer, M.H. 214 (1997) 191
Meyer, H., see Richter, A. 214 (1997) 321
Miller, W.H., see Lehr, L. 214 (1997) 301
Moncorgé, R., see Capobianco, J.A. 214 (1997) 329
Müller, T., see Richter, A. 214 (1997) 321
Munn, R.W., see Eilmes, A. 214 (1997) 341

Nelander, B., see Kölm, J. 214 (1997) 313

Oberlé, J., see Abraham, E. 214 (1997) 409
O'Connor, C.S.S., N.C. Jones and S.D. Price, The formation and dissociation of the dinitrogen pentoxide dication 214 (1997) 131

Pac, B., see Eilmes, A. 214 (1997) 341
Paidarová, I., see Sauer, S.P.A. 214 (1997) 91
Palmer, M.H., H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel, The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies 214 (1997) 191
Pericou-Cayere, M., M. Gelize and A. Dargelos, Ab initio calculations of electronic spectra of H_2S and H_2S_2 214 (1997) 81
Persico, M., see Cattaneo, P. 214 (1997) 49
Petelenz, P., see Eilmes, A. 214 (1997) 341
Pollacchi, A., see Palmer, M.H. 214 (1997) 191
Preuss, H., see Czuchaj, E. 214 (1997) 277
Price, S.D., see O'Connor, C.S.S. 214 (1997) 131

Rebentrost, F., see Czuchaj, E. 214 (1997) 277
Reed, D., see Palmer, M.H. 214 (1997) 191
Reis, H. and W. Baumann, Influence of rotational diffusion on the electric field induced effect on the fluorescence spectrum of diluted solutions. I. Theory and numerical simulations 214 (1997) 383
Richter, A., H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig, Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study 214 (1997) 321
Rocchi, C., A.R. Bizzarri and S. Cannistraro, Water residence times around copper plastocyanin: a molecular dynamics simulation approach 214 (1997) 261
Rullière, C., see Abraham, E. 214 (1997) 409

Samanta, A. and S.K. Ghosh, A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates 214 (1997) 61
Sauer, S.P.A., V. Špirko, I. Paidarová and W.P. Kraemer, The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$ 214 (1997) 91
Schirmer, J., see Trofimov, A.B. 214 (1997) 153
Schrems, O., see Kölm, J. 214 (1997) 313
Schweig, A., see Richter, A. 214 (1997) 321
Siggel, M.R.F., see Palmer, M.H. 214 (1997) 191
Smith, D.M., see Biehl, H. 214 (1997) 357
Song, J.-B. and E.A. Gislason, Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction 214 (1997) 23
Špirko, V., see Sauer, S.P.A. 214 (1997) 91
Sporleder, W., see Richter, A. 214 (1997) 321
Sreedhara Rao, V. and A.K. Chandra, An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen 214 (1997) 103
Stoll, H., see Czuchaj, E. 214 (1997) 277
Svensson, S., see Enkvist, C. 214 (1997) 123

Trofimov, A.B. and J. Schirmer, Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole 214 (1997) 153
Tuckett, R.P., see Biehl, H. 214 (1997) 357
Tuckett, R.P., see Biehl, H. 214 (1997) 367

Walker, I.C., see Palmer, M.H. 214 (1997) 191
Wang, Y.-X. and C.-H. Deng, The formalism and matrix elements of a complete potential-harmonic scheme for directly solving the Schrödinger equation of the helium atom 214 (1997) 33
Wu, G., The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator 214 (1997) 15

Zhang, J. and M. Baumgarten, Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I 214 (1997) 291

ELSEVIER

Chemical Physics 214 (1997) 437–447

Chemical Physics

Subject index to volume 214

Methods

Theoretical

Group theory and algebras

The *d*-dimensional hydrogen atom: hyperspherical harmonics as momentum space orbitals and alternative Sturmian basis sets, V. Aquilanti, S. Cavalli and C. Coletti 214 (1997) 1

The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator, G. Wu 214 (1997) 15

Classical mechanics

Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction, J.-B. Song and E.A. Gislason 214 (1997) 23

Many body and quasiparticle approaches

The formalism and matrix elements of a complete potential-harmonic scheme for directly solving the Schrödinger equation of the helium atom, Y.-X. Wang and C.-H. Deng 214 (1997) 33

Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole, A.B. Trofimov and J. Schirmer 214 (1997) 153

Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state, P. Karafiloglou 214 (1997) 171

Coupling schemes and perturbative treatments

The *d*-dimensional hydrogen atom: hyperspherical harmonics as momentum space orbitals and alternative Sturmian basis sets, V. Aquilanti, S. Cavalli and C. Coletti 214 (1997) 1

Ab initio determination of quasi-diabatic states for multiple reaction pathways, P. Cattaneo and M. Persico 214 (1997) 49

Transport quantum mechanics

A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates, A. Samanta and S.K. Ghosh 214 (1997) 61

Equilibrium statistical mechanics

A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates, A. Samanta and S.K. Ghosh 214 (1997) 61

Statistical mechanics of stationary states
On the degrees of circularity for various kinds of polarized light in a nonpolar liquid mixture, D.J. Lee and K.-R. Kim 214 (1997) 183

Non-equilibrium thermodynamic and hydrodynamic theories
A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates, A. Samanta and S.K. Ghosh 214 (1997) 61

Ab initio schemes for stationary properties
On the calculation of hydrogen NMR chemical shielding, D.B. Chesnut 214 (1997) 73
Ab initio calculations of electronic spectra of H_2S and H_2S_2, M. Pericou-Cayere, M. Gelize and A. Dargelos 214 (1997) 81
The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$, S.P.A. Sauer, V. Špirko, I. Paidarová and W.P. Kraemer 214 (1997) 91
An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen, V. Sreedhara Rao and A.K. Chandra 214 (1997) 103
Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters, J.C. Contador, M.A. Aguilar and F.J.O. del Valle 214 (1997) 113
The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel 214 (1997) 191
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction, J.S. Francisco 214 (1997) 213
Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations, J.W. Boughton, S. Kristyan and M.C. Lin 214 (1997) 219
Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene, G.S. Jas and K. Kuczera 214 (1997) 229
Electronic charge density transfer along a constrained reaction path from a hydronium ion configuration into a hydrogen chemisorption state on Cu(100), An.M. Kuznetsov and W. Lorenz 214 (1997) 243

Computational and simulation methods
The formalism and matrix elements of a complete potential-harmonic scheme for directly solving the Schrödinger equation of the helium atom, Y.-X. Wang and C.-H. Deng 214 (1997) 33
A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates, A. Samanta and S.K. Ghosh 214 (1997) 61
On the calculation of hydrogen NMR chemical shielding, D.B. Chesnut 214 (1997) 73
A new potential for the description of intermolecular interactions for rigid biaxial molecules, V.V. Ginzburg, M.A. Glaser and N.A. Clark 214 (1997) 253
Water residence times around copper plastocyanin: a molecular dynamics simulation approach, C. Rocchi, A.R. Bizzarri and S. Cannistraro 214 (1997) 261
Calculation of ground- and excited-state potential energy curves for the Hg_2 molecule in a pseudopotential approach, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 214 (1997) 277
Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I, J. Zhang and M. Baumgarten 214 (1997) 291

Molecular dynamics and scattering theory
The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator, G. Wu 214 (1997) 15
Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction, J.-B. Song and E.A. Gislason 214 (1997) 23
A classical approach to resonant low-energy electron scattering off molecules: application to the a_1-shape resonance of CF_3Cl, L. Lehr, J. Manz and W.H. Miller 214 (1997) 301

Experimental

Infrared spectroscopy
A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices, J. Kölm, A. Engdahl, O. Schrems and B. Nelander 214 (1997) 313
Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study, A. Richter, H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig 214 (1997) 321

Visible and UV spectroscopy
Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole, A.B. Trofimov and J. Schirmer 214 (1997) 153
The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel 214 (1997) 191
A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices, J. Kölm, A. Engdahl, O. Schrems and B. Nelander 214 (1997) 313
Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study, A. Richter, H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig 214 (1997) 321
Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4, J.A. Capobianco, P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli 214 (1997) 329
Charge-transfer states and the band gap in crystalline fullerene, A. Eilmes, R.W. Munn, B. Pac and P. Petelenz 214 (1997) 341
Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution, S.A. Bagnich 214 (1997) 351
Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV, H. Biehl, K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims 214 (1997) 367

Fluorescence spectroscopy
Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4, J.A. Capobianco, P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli 214 (1997) 329
The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions, H. Biehl, K.J. Boyle, D.M. Smith and R.P. Tuckett 214 (1997) 357
Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV, H. Biehl, K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims 214 (1997) 367
Influence of rotational diffusion on the electric field induced effect on the fluorescence spectrum of diluted solutions. I. Theory and numerical simulations, H. Reis and W. Baumann 214 (1997) 383

Photoelectron and Auger spectroscopy
Charge-transfer states and the band gap in crystalline fullerene, A. Eilmes, R.W. Munn, B. Pac and P. Petelenz 214 (1997) 341

X-ray spectroscopy
Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl, C. Enkvist, S. Lunell and S. Svensson 214 (1997) 123

Electron impact spectroscopy
The formation and dissociation of the dinitrogen pentoxide dication, C.S.S. O'Connor, N.C. Jones and S.D. Price 214 (1997) 131
Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole, A.B. Trofimov and J. Schirmer 214 (1997) 153

Picosecond spectroscopy
Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry, E. Abraham, J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière 214 (1997) 409

Non-linear optical spectroscopy
Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry, E. Abraham, J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière 214 (1997) 409

Time-resolved experiments
Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution, S.A. Bagnich 214 (1997) 351
The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions, H. Biehl, K.J. Boyle, D.M. Smith and R.P. Tuckett 214 (1997) 357
Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry, E. Abraham, J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière 214 (1997) 409

Mass spectrometry
The formation and dissociation of the dinitrogen pentoxide dication, C.S.S. O'Connor, N.C. Jones and S.D. Price 214 (1997) 131

Neutron scattering
Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices, H.G. Büttner, G.J. Kearley and B. Frick 214 (1997) 425

Measurement of macroscopic variables
Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures, A. Baranowski, K. Jerie and J. Gliński 214 (1997) 143

Objects

Bulk systems

Gases

On the calculation of hydrogen NMR chemical shielding, D.B. Chesnut 214 (1997) 73
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the FCO + H_2 → HFCO + H abstraction reaction, J.S. Francisco 214 (1997) 213
The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions, H. Biehl, K.J. Boyle, D.M. Smith and R.P. Tuckett 214 (1997) 357
Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV, H. Biehl, K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims 214 (1997) 367

Liquid mixtures and solutions

Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures, A. Baranowski, K. Jerie and J. Gliński 214 (1997) 143
On the degrees of circularity for various kinds of polarized light in a nonpolar liquid mixture, D.J. Lee and K.-R. Kim 214 (1997) 183

Crystals

Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4, J.A. Capobianco, P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli 214 (1997) 329

-neat

Charge-transfer states and the band gap in crystalline fullerene, A. Eilmes, R.W. Munn, B. Pac and P. Petelenz 214 (1997) 341

Glasses

Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution, S.A. Bagnich 214 (1997) 351

Liquid crystals

A new potential for the description of intermolecular interactions for rigid biaxial molecules, V.V. Ginzburg, M.A. Glaser and N.A. Clark 214 (1997) 253

Dielectrics

Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters, J.C. Contador, M.A. Aguilar and F.J.O. del Valle 214 (1997) 113

Biological systems

Water residence times around copper plastocyanin: a molecular dynamics simulation approach, C. Rocchi, A.R. Bizzarri and S. Cannistraro 214 (1997) 261

Microscopic systems

Atoms

The *d*-dimensional hydrogen atom: hyperspherical harmonics as momentum space orbitals and alternative Sturmian basis sets, V. Aquilanti, S. Cavalli and C. Coletti 214 (1997) 1
Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction, J.-B. Song and E.A. Gislason 214 (1997) 23
The formalism and matrix elements of a complete potential-harmonic scheme for directly solving the Schrödinger equation of the helium atom, Y.-X. Wang and C.-H. Deng 214 (1997) 33
Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations, J.W. Boughton, S. Kristyan and M.C. Lin 214 (1997) 219
Calculation of ground- and excited-state potential energy curves for the Hg_2 molecule in a pseudopotential approach, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 214 (1997) 277

Molecules (neutral and ionic)

The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator, G. Wu 214 (1997) 15
On the calculation of hydrogen NMR chemical shielding, D.B. Chesnut 214 (1997) 73
Ab initio calculations of electronic spectra of H_2S and H_2S_2, M. Pericou-Cayere, M. Gelize and A. Dargelos 214 (1997) 81
Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations, J.W. Boughton, S. Kristyan and M.C. Lin 214 (1997) 219
Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene, G.S. Jas and K. Kuczera 214 (1997) 229
Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I, J. Zhang and M. Baumgarten 214 (1997) 291
A classical approach to resonant low-energy electron scattering off molecules: application to the a_1-shape resonance of CF_3Cl, L. Lehr, J. Manz and W.H. Miller 214 (1997) 301

-diatomic

Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction, J.-B. Song and E.A. Gislason 214 (1997) 23
The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$, S.P.A. Sauer, V. Špirko, I. Paidarová and W.P. Kraemer 214 (1997) 91
Calculation of ground- and excited-state potential energy curves for the Hg_2 molecule in a pseudopotential approach, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 214 (1997) 277

-small polyatomics

Ab initio determination of quasi-diabatic states for multiple reaction pathways, P. Cattaneo and M. Persico 214 (1997) 49
The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$, S.P.A. Sauer, V. Špirko, I. Paidarová and W.P. Kraemer 214 (1997) 91
An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen, V. Sreedhara Rao and A.K. Chandra 214 (1997) 103
The formation and dissociation of the dinitrogen pentoxide dication, C.S.S. O'Connor, N.C. Jones and S.D. Price 214 (1997) 131

Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole, A.B. Trofimov and J. Schirmer 214 (1997) 153
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction, J.S. Francisco 214 (1997) 213
A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices, J. Kölm, A. Engdahl, O. Schrems and B. Nelander 214 (1997) 313
The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions, H. Biehl, K.J. Boyle, D.M. Smith and R.P. Tuckett 214 (1997) 357
Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV, H. Biehl, K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims 214 (1997) 367
Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices, H.G. Büttner, G.J. Kearley and B. Frick 214 (1997) 425

-aromatics
Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl, C. Enkvist, S. Lunell and S. Svensson 214 (1997) 123
Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state, P. Karafiloglou 214 (1997) 171
The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel 214 (1997) 191
Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene, G.S. Jas and K. Kuczera 214 (1997) 229
Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution, S.A. Bagnich 214 (1997) 351
Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry, E. Abraham, J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière 214 (1997) 409

-other large
An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen, V. Sreedhara Rao and A.K. Chandra 214 (1997) 103

-polymeric and biological
Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl, C. Enkvist, S. Lunell and S. Svensson 214 (1997) 123

Molecular aggregates
Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters, J.C. Contador, M.A. Aguilar and F.J.O. del Valle 214 (1997) 113
Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I, J. Zhang and M. Baumgarten 214 (1997) 291

-clusters
Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters, J.C. Contador, M.A. Aguilar and F.J.O. del Valle 214 (1997) 113

Electronic charge density transfer along a constrained reaction path from a hydronium ion configuration into a hydrogen chemisorption state on Cu(100), An.M. Kuznetsov and W. Lorenz 214 (1997) 243

Free radicals (including hydronium and muonium)
Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study, A. Richter, H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig 214 (1997) 321

Defects and impurities
Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4, J.A. Capobianco, P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli 214 (1997) 329

Ions and charge carriers
Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state, P. Karafiloglou 214 (1997) 171
Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study, A. Richter, H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig 214 (1997) 321

Phenomena

Molecular structure
Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state, P. Karafiloglou 214 (1997) 171
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction, J.S. Francisco 214 (1997) 213
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction, J.S. Francisco 214 (1997) 213
Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene, G.S. Jas and K. Kuczera 214 (1997) 229
A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices, J. Kölm, A. Engdahl, O. Schrems and B. Nelander 214 (1997) 313

Vibrations and rotations of molecules
The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator, G. Wu 214 (1997) 15
An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen, V. Sreedhara Rao and A.K. Chandra 214 (1997) 103
Ab initio calculations of S_1 excited state vibrational spectra of benzene, naphthalene and anthracene, G.S. Jas and K. Kuczera 214 (1997) 229
Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices, H.G. Büttner, G.J. Kearley and B. Frick 214 (1997) 425

Electronic structure and states

The formalism and matrix elements of a complete potential-harmonic scheme for directly solving the Schrödinger equation of the helium atom, Y.-X. Wang and C.-H. Deng 214 (1997) 33

Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl, C. Enkvist, S. Lunell and S. Svensson 214 (1997) 123

The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel 214 (1997) 191

Calculation of ground- and excited-state potential energy curves for the Hg_2 molecule in a pseudopotential approach, E. Czuchaj, F. Rebentrost, H. Stoll and H. Preuss 214 (1997) 277

Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I, J. Zhang and M. Baumgarten 214 (1997) 291

Charge-transfer states and the band gap in crystalline fullerene, A. Eilmes, R.W. Munn, B. Pac and P. Petelenz 214 (1997) 341

Electric and magnetic properties

On the calculation of hydrogen NMR chemical shielding, D.B. Chesnut 214 (1997) 73

The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$, S.P.A. Sauer, V. Špirko, I. Paidarová and W.P. Kraemer 214 (1997) 91

Electronic charge density transfer along a constrained reaction path from a hydronium ion configuration into a hydrogen chemisorption state on Cu(100), An.M. Kuznetsov and W. Lorenz 214 (1997) 243

Using triazine as coupling unit for intra and intermolecular ferromagnetic coupling I, J. Zhang and M. Baumgarten 214 (1997) 291

Charge-transfer states and the band gap in crystalline fullerene, A. Eilmes, R.W. Munn, B. Pac and P. Petelenz 214 (1997) 341

Influence of rotational diffusion on the electric field induced effect on the fluorescence spectrum of diluted solutions. I. Theory and numerical simulations, H. Reis and W. Baumann 214 (1997) 383

Molecular interactions

Specific and bulk solvent nonadditive contributions to the in-solution binding energy of ammonium–water clusters, J.C. Contador, M.A. Aguilar and F.J.O. del Valle 214 (1997) 113

Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures, A. Baranowski, K. Jerie and J. Gliński 214 (1997) 143

A new potential for the description of intermolecular interactions for rigid biaxial molecules, V.V. Ginzburg, M.A. Glaser and N.A. Clark 214 (1997) 253

Coupling of electronic and nuclear motion

Ab initio determination of quasi-diabatic states for multiple reaction pathways, P. Cattaneo and M. Persico 214 (1997) 49

The vibrational dependence of the hydrogen and oxygen nuclear magnetic shielding constants in OH^- and $OH^- \cdot H_2O$, S.P.A. Sauer, V. Špirko, I. Paidarová and W.P. Kraemer 214 (1997) 91

Energy transfer processes

The anharmonic effect as originated from the asymmetry of a rotor. The case study of an asymmetric rotor coupled with a simple harmonic oscillator, G. Wu 214 (1997) 15

Dispersive transport of triplet excitation of benzaldehyde in solid ethanol solution, S.A. Bagnich 214 (1997) 351

Molecular photophysical processes
Ab initio determination of quasi-diabatic states for multiple reaction pathways, P. Cattaneo and M. Persico 214 (1997) 49
Ab initio calculations of electronic spectra of H_2S and H_2S_2, M. Pericou-Cayere, M. Gelize and A. Dargelos 214 (1997) 81
Photophysics of 4-dimethylamino 4′-cyanostilbene and model compounds: dual excited states revealed by sub-picosecond transient absorption and Kerr ellipsometry, E. Abraham, J. Oberlé, G. Jonusauskas, R. Lapouyade and C. Rullière 214 (1997) 409

Luminescence spectra, yields and lifetimes
Optical spectroscopy, fluorescence dynamics and crystal-field analysis of Er^{3+} in YVO_4, J.A. Capobianco, P. Kabro, F.S. Ermeneux, R. Moncorgé, M. Bettinelli and E. Cavalli 214 (1997) 329

Reactions (including dissociation)
Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations, J.W. Boughton, S. Kristyan and M.C. Lin 214 (1997) 219

-gas phase
Application of the pairwise energy model to various isotopic variations of the $H + H_2$ reaction, J.-B. Song and E.A. Gislason 214 (1997) 23
The formation and dissociation of the dinitrogen pentoxide dication, C.S.S. O'Connor, N.C. Jones and S.D. Price 214 (1997) 131
A Møller–Plesset perturbation theory and coupled-cluster study of the reaction enthalpies and barrier heights for the $FCO + H_2 \rightarrow HFCO + H$ abstraction reaction, J.S. Francisco 214 (1997) 213
Theoretical study of the reaction of hydrogen with nitric acid: ab initio MO and TST/RRKM calculations, J.W. Boughton, S. Kristyan and M.C. Lin 214 (1997) 219

-condensed phase
Electronic charge density transfer along a constrained reaction path from a hydronium ion configuration into a hydrogen chemisorption state on Cu(100), An.M. Kuznetsov and W. Lorenz 214 (1997) 243

-photochemical
Ab initio determination of quasi-diabatic states for multiple reaction pathways, P. Cattaneo and M. Persico 214 (1997) 49
A spectroscopic and photoisomerisation study of bromine dioxides in argon matrices, J. Kölm, A. Engdahl, O. Schrems and B. Nelander 214 (1997) 313

Tunnelling
An ab initio treatment of the Norrish type-II process in pentane-2-one and the role of tunneling of hydrogen, V. Sreedhara Rao and A.K. Chandra 214 (1997) 103
Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices, H.G. Büttner, G.J. Kearley and B. Frick 214 (1997) 425

Electron transfer
A study of solvent dynamical effects on nonadiabatic electron transfer reaction rates, A. Samanta and S.K. Ghosh 214 (1997) 61
Common features of various mechanisms of electron transfer across a 4,4′-bipyridine bridge: a theoretical evaluation of resonance structures of the transition state, P. Karafiloglou 214 (1997) 171
Electron attachment products of methylene chloride in solid argon: an experimental and quantum chemical IR spectroscopic study, A. Richter, H. Meyer, T. Kausche, T. Müller, W. Sporleder and A. Schweig 214 (1997) 321

Positron annihilation
Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures, A. Baranowski, K. Jerie and J. Gliński 214 (1997) 143

Ionization (including Rydberg states)
Experimental and theoretical study of the C_{1s} shakeup spectra from biphenyl and p-terphenyl, C. Enkvist, S. Lunell and S. Svensson 214 (1997) 123
The formation and dissociation of the dinitrogen pentoxide dication, C.S.S. O'Connor, N.C. Jones and S.D. Price 214 (1997) 131
Polarization propagator study of electronic excitation in key heterocyclic moleculesI. Pyrrole, A.B. Trofimov and J. Schirmer 214 (1997) 153
The molecular and electronic states of 1,2,4,5-tetrazine studied by VUV absorption, near-threshold electron energy-loss spectroscopy and ab initio multi-reference configuration interaction studies, M.H. Palmer, H. McNab, D. Reed, A. Pollacchi, I.C. Walker, M.F. Guest and M.R.F. Siggel 214 (1997) 191
The use of threshold photoelectron – fluorescence photon coincidence spectroscopy for the measurement of the radiative lifetimes of emitting states of CF_3X^+ (X = F, H, Cl, Br) ions, H. Biehl, K.J. Boyle, D.M. Smith and R.P. Tuckett 214 (1997) 357
Vacuum-UV fluorescence spectroscopy of CF_3X (X = F,H,Cl,Br) in the range 10–30 eV, H. Biehl, K.J. Boyle, R.P. Tuckett, H. Baumgärtel and H.W. Jochims 214 (1997) 367

Molecular motion (including diffusive)
Water residence times around copper plastocyanin: a molecular dynamics simulation approach, C. Rocchi, A.R. Bizzarri and S. Cannistraro 214 (1997) 261
Influence of rotational diffusion on the electric field induced effect on the fluorescence spectrum of diluted solutions. I. Theory and numerical simulations, H. Reis and W. Baumann 214 (1997) 383

Isotopic effects
Tunnelling of the one-dimensional rotor NH_3D^+ in the NH_4ClO_4 and NH_4PF_6 lattices, H.G. Büttner, G.J. Kearley and B. Frick 214 (1997) 425

Structure of solids and liquids
Positron annihilation in and compressibility of liquid water + tert-butyl alcohol mixtures, A. Baranowski, K. Jerie and J. Gliński 214 (1997) 143

Critical phenomena
On the degrees of circularity for various kinds of polarized light in a nonpolar liquid mixture, D.J. Lee and K.-R. Kim 214 (1997) 183